

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	distributed near3 exterior near3 gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 08:06
S2	1461	BGP near3 gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:09
S3	3	S2 and (distributed near3 line near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/24 12:37
S4	1183	S2 and (linecard or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:20
S5	198	S4 and (distribut\$3 near process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:25
S6	1	S5 and (distribut\$3 near3 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:24
S7	7	S5 and @py< "2003"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:56
S8	81	S2 and (line near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 18:10
S9	312	S2 and (network near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:59

S10	44	S2 and (line near3 interface near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 18:10
S11	4	S10 and (local near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 18:11
S12	0	distributed near3 exterior near3 gatewaynear near3 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 18:26
S13	46	distributed near3 BGP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 18:27
S14	22351	Line near3 card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 08:07
S15	85	S14 and (distribut\$3 near3 line near3 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:10
S16	2526	BGP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:11
S17	652	S16 and (control near3 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:13
S18	157	S17 and (line near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:13
S19	22	S18 and offload	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:18

S20	16	S18 and (distribut\$3 near3 process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:25
S21	122	S16 and (control near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:26
S22	84	S21 and (line near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:44
S23	36	S22 and (distribut\$3 near3 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 09:27
S24	1	10/713,586	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 17:59
S36	2	(BGP or (boarder adj gateway adj protocol)) and ((control adj card) or (line adj card)) same (backplane near4 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 08:57
S37	4	(BGP or (boarder adj gateway adj protocol)) and ((control adj card) or (line adj card)) and (backplane near4 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 08:58
S38	187	(BGP or (boarder adj gateway adj protocol)) and (control adj card) or (line adj card) and (backplane near4 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:29
S39	122	S38 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:05

S40	104	(BGP or (boarder adj gateway adj protocol)) same (control adj card) or (line adj card) and (backplane near2 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:15
S41	69	S40 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:30
S42	104	(BGP or (border adj gateway adj protocol)) same (control adj card) or (line adj card) and (backplane near2 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:42
S43	35	(BGP or (boarder adj gateway adj protocol)) same (control adj card) or (line adj card) same (backplane near2 connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:15
S44	20	S43 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:15
S45	9	(BGP or (border adj gateway adj protocol)) same (control adj card) or (line adj card) same (backplane near4 connection) same (intel near4 processor) same (general near4 processor) same (network near2 processor) and 370/351. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:31
S46	3	S45 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:32

S47	51	(BGP or (border adj gateway adj protocol)) and (control adj card) or (line adj card) and (backplane near4 connection) and (intel near4 processor) same (general near4 processor) same (network near2 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:46
S49	26	S47 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:52
S50	51	(BGP or (border adj gateway adj protocol)) and (control adj card) or (line adj card) with (backplane near4 connection) and (intel near4 processor) same (general near4 processor) same (network near2 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 09:47
S57	102	((control adj card) or (line adj card) and (backplane near4 connection)) and (intel near4 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:00
S58	81	S57 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:03
S63	25	((control adj card) or (line adj card) and (backplane near4 connection)) and (intel near4 processor) and gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:03
S64	15	S63 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:44

S65	2	"7065059".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:30
S67	2	"20020103921".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:32
S68	2	"20030128668".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:33
S69	0	S42 and (control adj processor) with (intel adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:43
S70	0	S42 and (control adj processor) same (intel adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:43
S71	0	S42 and (control adj processor) and (intel adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:44
S72	13	S42 and (control adj processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/13 10:44
S73	7	S72 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 12:41

S74	5	(border near2 gateway) with ((control near2 card) or (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:14
S75	4	S74 and (control near2 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:14
S76	1	S75 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:22
S77	185	(border near2 gateway) and ((control near2 card) or (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:20
S78	25	(border near2 gateway) same ((control near2 card) or (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:15
S79	17	S78 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:15
S80	5	(border near2 gateway) with ((control near6 card) or (line near6 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 15:21
S81	110	S77 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:44

S82	30	S81 and (generat\$3 near2 message)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:19
S83	63	S77 and ((announc\$3 or broadcast or send or forward\$3) near8 route)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:42
S84	1	S83 and (peer near8 gateway)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:27
S85	35	S83 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:28
S86	4	S77 and initializ\$3 with (line near2 card) or (control near2 card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:44
S87	1	S86 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 17:44
S88	185	(border near2 gateway) and ((control near2 card) or (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:41
S89	2	S88 and ((initializ\$3 or boot\$3) near6 (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:50

S90	1	S89 and @ad<"20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:43
S91	0	S88 and ((register\$3 near2 offload) with (central near register\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:42
S92	0	S88 and ((register\$3 near6 offload) with (central near register\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:35
S93	0	S88 and ((register\$3 near6 protocol) with (central near register\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:36
S94	0	S88 and ((register\$3 near6 protocol) same (central near register\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:36
S95	0	S88 and ((register\$3 near6 offload near6 protocol) same (central near register\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:36
S96	1743	S88 and ((register\$3 near6 offload near6 protocol) same (central near register\$5)) and 370/229.ccls. or 370/351. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:41
S97	1748	(border near2 gateway) and ((control near2 card) or (line near2 card)) and 370/229.ccls. or 370/351. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:41

S98	0	S97 and ((initializ\$3 or boot\$3) near6 (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:42
S99	0	S97 and ((register\$3 near2 offload) with (central near register\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:43
SI00	0	S97 and (register\$3 near2 offload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:43
SI01	1114	S97 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/19 12:47
SI02	1641	BGP near3 gateway	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 12:36
SI03	3	SI02 and ((distributed near3 line near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/24 12:37
SI04	3	SI02 with ((line near2 card) or (control near2 card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/24 12:40
SI05	223	SI02 and ((line near2 card) or (control near2 card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/24 12:40
SI06	123	SI05 and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 13:35

S107	50	S106 and (initializ\$3 or configur\$3 near3 (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 12:50
S108	118	S106 and (initializ\$3 or configur\$3 or updat\$3 or recogniz\$3 near3 (line near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 12:51
S109	15	S106 and (initializ\$3 or configur\$3 or updat\$3 or recogniz\$3) near3 ((line near2 card) or (control near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 13:22
S110	17	S106 and (initializ\$3 or configur\$3 or updat\$3 or recogniz\$3) near6 ((line near2 card) or (control near2 card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 13:23
S111	25	S106 and registrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/24 13:37
S112	106	connect\$5 same gateway same (line near3 card) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:26
S113	106	connect\$5 same gateway same (line near3 card) and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:28
S114	106	connect\$5 same gateway same (line near3 card) same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:29

S115	75	connect\$5 with gateway same (line near3 card) same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:29
S116	44	connect\$5 with gateway with (line near3 card) same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:29
S117	75	(line near3 card) same connect\$5 with gateway and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:36
S118	75	(line near3 card) same connect\$5 with gateway same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:36
S119	48	(line near3 card) with (link or connect\$5 or path) with gateway same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:37
S120	9	(line near3 card) with (establish\$5 or process\$5 or conduct\$5) near8 (link or connect\$5 or path) with gateway same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/07 23:39
S121	0	(line near3 card) with (establish\$5 or process\$5 or conduct\$5) near8 (link or connect\$5 or path) with gateway same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/07 23:45
S122	0	(line near3 card) same (establish\$5 or process\$5 or conduct\$5) near8 (link or connect\$5 or path) with gateway same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/07 23:46

S123	0	(line near3 card) same (establish\$5 or process\$5 or conduct\$5) near8 (link or connect\$5 or path) same gateway same (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/07 23:46
S124	0	(line near3 card) same (establish\$5 or process\$5 or conduct\$5) near8 (link or connect\$5 or path) same gateway and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/07 23:47
S125	6	(line near3 card) and (establish\$5 or process\$5 or conduct\$5) near8 (link or connect\$5 or path) same gateway and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/07 23:47
S126	0	(run\$5 near8 output near8 policy) same (line near3 card) and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/08 00:02
S127	0	(output near8 policy) same (line near3 card) and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/08 00:03
S128	0	(output near8 policy) and (line near3 card) and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/08 00:03
S129	1	(run\$5 near8 policy) and (line near3 card) and (bgp or boarder gateway protocol) and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/12/08 00:03
S130	148	((control near2 card) near6 communicat\$5) near5 (line near2 card)) near6 backplane and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:43

S131	116	((((control near2 card) near4 communicat\$5) near4 (line near2 card)) near4 backplane and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:44
S132	24	((((control near2 card) near4 communicat\$5) near4 (line near2 card)) near4 backplane same processor and "370"/\$. ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:44
S133	0	((((control near2 card) near4 communicat\$5) near4 (line near2 card)) near4 backplane same (intel near2 processor) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:45
S134	0	((((control near2 card) near4 communicat\$5) near8 (line near2 card)) near4 backplane same (intel near2 processor) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:45
S135	0	((((control near2 card) near4 communicat\$5) near8 (line near2 card)) near8 backplane same (intel near2 processor) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:45
S136	0	((((control near2 card) near4 communicat\$5) near8 (line near2 card)) near8 backplane and(intel near2 processor) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:46
S137	0	((((control near2 card) near6 communicat\$5) near8 (line near2 card)) near8 backplane and(intel near2 processor) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:46

S138	0	((control near2 card) near6 communicat\$5) near8 (line near2 card)) near8 (backplane near2 connect\$5) and "370"/\$. ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:47
S139	0	((control near2 card) near6 communicat\$5) near8 (line near2 card)) near8 (backplane near2 (connect\$5 or interface)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:47
S140	47	((control near2 card) near6 communicat\$5) nea5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:50
S141	9	((control near2 card) near6 communicat\$5) nea5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) same processor and "370"/ \$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:50
S142	35	((control near2 card) near6 communicat\$5) nea5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and processor and "370"/\$. ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:51
S143	88790	((control near2 card) near6 communicat\$5) nea5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and processor and network and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:51
S144	35	((control near2 card) near6 communicat\$5) nea5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and processor and network and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:51

S145	29	((((control near2 card) near6 communicat\$5) near5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and processor same network and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:51
S146	0	((((control near2 card) near6 communicat\$5) near5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and processor same network and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:54
S147	0	((((control near2 card) near6 communicat\$5) near5 (line near2 card)) near6 (backplane near2 (connect\$5 or interface)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:54
S148	0	((((control near2 card) near6 communicat\$5) with (line near2 card)) near6 (backplane near2 (connect \$5 or interface)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:55
S149	16	((((control near2 card) near6 communicat\$5) with (line near2 card)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:55
S150	1	((((control near2 card) near6 communicat\$5) with (line near2 card)) near6 ((backplane or bus) near6 (connect\$5 or interface)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 14:57
S151	2	((control near2 (card or module)) near6 communicat\$5 with (line near2 (card or module))) near6 ((backplane or bus) near6 (connect\$5 or interface)) and "370"/\$.ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 15:01

S152	6	((control near2 (card or module)) near6 communicat\$5 with (line near2 (card or module))) same ((backplane or bus) near6 (connect\$5 or interface)) and "370"/\$. ccls. and @ad< "20031113"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/19 15:03
------	---	---	---	----	-----	---------------------

6/ 21/ 2009 11:40:37 PM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10713586.wsp